BIREL ART RENTAL KART –

Choose Birel ART Rental Kart. Our karts replicates the feel of real kart racing. Feel the vibes of driving!





Nas

birelART

WWW.BIRELARTRENTAL.COM



PURE PASSION

We build karts, because motorsport is our passion!

Karting is the origin of Racing and our go-karts, distinguished by Italian excellence famous all over the world, gives the opportunity to all fans of this world to become real drivers or have fun trying the thrill of adrenaline on the track.

> Birel ART is also present in the Rental sector with a complete range of Karts.

> > ELECTRIC ALSO OF COURSE!

SUMMARY

| Page 3 | WHO IS Birel ART |
|---------|-------------------------|
| Page 4 | N35-XR ST |
| Page 8 | N35-YR ST |
| Page 12 | N35-YR ST TWIN ENGINE |
| Page 16 | N35-XR ST ROTAX |
| Page 20 | N35-TWIN |
| Page 24 | N32-XR J |
| Page 28 | B25-RT |



BIREL ART

Tradition and Innovation

We represent a company where tradition and innovation come together every day to feed the legend of the Birel ART brand. Our plus is the ability to combine the development of advanced technological solutions with the craftsmanship and experience that distinguishes us.

Passion and Excellence

The passion for motorsport is the sap that drives us to set ambitious goals to satisfy our customers. We are always in step with the times, curious and open to new things to grow our skills and offer excellence.

Individual and team

Our company is a big family with a strong sense of belonging, human resources are very important for us and ours is a team where competence and passion always go hand in hand.

Emotion

Birel ART - for more than 60 years we have continued the passion for a sport that has formed and continues to train all the F1 drivers. With heart, pride and enthusiasm we keep alive the passion for the racing world and allow all those who love the thrill of driving to be able to do it in great safety and at high technical levels and performances.

> « For those who like racing, I advise the karting and to do it with love and dedication. » Ayrton Senna - December /1982



ONLY 140 KILOGRAMS

WITH ADJUSTABLE PEDAL, AND ADJUSTABLE SEAT, FITTED WITH REAR END COVER (TO PROTECT MOVING MECHANICAL PARTS). IT HAS BEEN DESIGNED TO EVOKE THE FEATURES OF A COMPETITION KART.

*AVAILABLE ALSO THE VERSION N-35 X (WITH ADJUSTABLE PEDAL AND FIXED SEAT)



4 **birel/RT**







| NDD-XR ST | |
|------------------|----------------------|
| Ø TUBES | 35 mm |
| WHEEL BASE | 1070 mm |
| REAR WIDTH | 1410 mm |
| FRONT WIDHT | 1208 mm |
| LENGHT | 2036 mm |
| AXLE | 40x5x1060 K |
| BRAKING SYSTEM | HYDRAULIC RR |
| BRAKE DISC | 180x8 STEEL |
| BRAKE POSITION | REAR |
| TANK CAPACITY | 10 LIT |
| Ø STEERING WHEEL | 340 mm |
| WHEELS | NH 120 - NH 180 |
| TYRES | MITAS SRH / DURO |
| PODS | N35 SHOCK ABSORPTION |
| COVER | REAR |
| SEAT AND PEDALS | ADJUSTABLE |



TRACK SIDE MONITORING SYSTEM



de Haardt Trackside Control System Xtra.EV Shutdown Transponder

The de Haardt Xtra.E Shutdown Transponder can be installed on every kart and programmed to suit the needs of the Circuit Operator. Different performance levels can be pre-programmed, as well as the crawl speed for the Pitlane Area. The Shutdown Transponder can be remotely operated with the Xtra Remote Control Unit, as well as the

Xtra Mini Remote Control.

ONE OF OUR BEST SELLING PRODUCTS



N35-XR ST





HEADREST



SAFETY BELTS



WEIGHT HOLDER WITH WEIGHTS

BLACK: 5 KG RED: 2.5 KG MAXIMUM 25 KG

ON REQUEST, FOR EVERY RENTAL KART MODEL WE CAN PROVIDE A CUSTOM GRAPHICS WITH YOUR LOGOS OR SPONSORS.





WITH ADJUSTABLE PEDAL, ADJUSTABLE STEERING WHEEL POSITION AND ADJUSTABLE SEAT, FITTED WITH REAR END COVER (TO PROTECT MOVING MECHANICAL PARTS). IT HAS BEEN DESIGNED TO EVOKE THE FEATURES OF A COMPETITION KART.



8 **birel/RT**





NEW FEATURES



NEW AXLE BEARING SUPPORT



NEW BRAKE SAFETY "MAGNUM"



ADJUSTABLE STEERING WHEEL POSITION





| N D - 57 | |
|-------------------------|----------------------|
| Ø TUBES | 35 mm |
| WHEEL BASE | 1070 mm |
| REAR WIDTH | 1410 mm |
| FRONT WIDHT | 1208 mm |
| LENGHT | 2036 mm |
| AXLE | 40x5x1060 K |
| BRAKING SYSTEM | HYDRAULIC RR MAGNUM |
| BRAKE DISC | VENTILATED 180x20 |
| BRAKE POSITION | REAR |
| TANK CAPACITY | 10 LIT |
| Ø STEERING WHEEL | 340 mm |
| WHEELS | NH 120 - NH 180 |
| TYRES | MITAS SRH / DURO |
| PODS | N35 SHOCK ABSORPTION |
| COVER | REAR & FRONT |
| SEAT AND PEDALS | ADJUSTABLE |



TRACK SIDE MONITORING SYSTEM



de Haardt Trackside Control System Xtra.EV Shutdown Transponder

The de Haardt Xtra.E Shutdown Transponder can be installed on every kart and programmed to suit the needs of the Circuit Operator. Different performance levels can be pre-programmed, as well as the crawl speed for the Pitlane Area. The Shutdown Transponder can be remotely operated with the Xtra Remote Control Unit, as well as the

Xtra Mini Remote Control.

10 **birel/RT**

DISCOVER OUR LAST MODEL



N35-YR ST





HEADREST & SAFETY BELTS



WEIGHT HOLDER QUICK FIXING



WEIGHT HOLDER WITH WEIGHTS

BLACK: 5 KG RED: 2.5 KG MAXIMUM 25 KG

ON REQUEST, FOR EVERY RENTAL KART MODEL WE CAN PROVIDE A CUSTOM GRAPHICS WITH YOUR LOGOS OR SPONSORS.





TWIN ENGINE - DOUBLE POWER

WITH ADJUSTABLE PEDAL, ADJUSTABLE STEERING WHEEL POSITION AND ADJUSTABLE SEAT, FITTED WITH REAR END COVER (TO PROTECT MOVING MECHANICAL PARTS).









NEW FEATURES



NEW AXLE BEARING SUPPORT



NEW BRAKE SAFETY "MAGNUM"




ADJUSTABLE STEERING WHEEL POSITION





| N## - + | |
|------------------|---------------------|
| Ø TUBES | 35 mm |
| WHEEL BASE | 1070 mm |
| REAR WIDTH | 1410 mm |
| FRONT WIDHT | 1208 mm |
| LENGHT | 2036 mm |
| AXLE | 40x5x1060 K |
| BRAKING SYSTEM | HYDRAULIC RR MAGNUM |
| BRAKE DISC | VENTILATED 180x20 |
| BRAKE POSITION | REAR |
| TANK CAPACITY | 10 LIT |
| Ø STEERING WHEEL | 340 mm |
| WHEELS | NH 120 - NH 180 |
| TYRES | MITAS SRH / DURO |
| PODS | N35 SCHOCK AB |
| COVER | REAR + FRONT |
| SEAT AND PEDALS | ADJUSTABLE |







DISCOVER OUR LAST MODEL



N35-YR ST

 \mathbf{O}

OPTIONAL IIIIIIIIIII



HEADREST & SAFETY BELTS



WEIGHT HOLDER QUICK FIXING



WEIGHT HOLDER WITH WEIGHTS

> BLACK: 5 KG RED: 2.5 KG MAXIMUM 25 KG

ON REQUEST, FOR EVERY RENTAL KART MODEL WE CAN PROVIDE A CUSTOM GRAPHICS WITH YOUR LOGOS OR SPONSORS.





ONLY 130 KILOGRAMS

WITH ADJUSTABLE SEAT AND ADJUSTABLE PEDALS. IT HAS BEEN DESIGNED TO EVOKE THE FEATURES OF A COMPETITION KART. *AVAILABLE ALSO THE VERSION N35 X (WITH ADJUSTABLE PEDAL AND FIXED SEAT)












| NDJ-XR STaotax | |
|------------------|----------------------|
| Ø TUBES | 35 mm |
| WHEEL BASE | 1070 mm |
| REAR WIDTH | 1410 mm |
| FRONT WIDHT | 1208 mm |
| LENGHT | mm 2036 |
| AXLE | 40x5x1060 K |
| BRAKING SYSTEM | HYDRAULIC RR |
| BRAKE DISC | 180x8 |
| BRAKE POSITION | REAR |
| TANK CAPACITY | 10 LIT |
| Ø STEERING WHEEL | 340 mm |
| WHEELS | NH 120 - NH 180 |
| TYRES | MITAS SRH / DURO |
| PODS | N35 SHOCK ABSORPTION |
| SEAT AND PEDALS | ADJUSTABLE |






THE STEP BEFORE RACING!



N35-XR ST ROTAX

.....



HEADREST & SAFETY BELTS



WEIGHT HOLDER QUICK FIXING



WEIGHT HOLDER WITH WEIGHTS

> BLACK: 5 KG RED: 2.5 KG MAXIMUM 25 KG

ON REQUEST, FOR EVERY RENTAL KART MODEL WE CAN PROVIDE A CUSTOM GRAPHICS WITH YOUR LOGOS OR SPONSORS.






ONLY 160 KILOGRAMS

THE NEW KART FOR TWO PEOPLE WITH THE SAME DIMENSION AND THE SAME COMPONENTS OF THE CLASSICAL N-35 XR ST. COMPLETE WITH ROLL-BAR, SEAT BELTS, FOOTRESTS AND ADJUSTABLE STEERING WHEEL FOR THE PASSENGER IN ADDITION TO REGULATING PEDALS SYSTEM FOR THE DRIVER.









| NBS-TLUIN | |
|------------------|----------------------|
| Ø TUBES | 35 mm |
| WHEEL BASE | 1070 mm |
| REAR WIDTH | 1410 mm |
| FRONT WIDHT | 1208 mm |
| LENGHT | 2036 mm |
| AXLE | 40x5 K |
| BRAKING SYSTEM | HYDRAULIC RR |
| BRAKE DISC | 166x5 STEEL x2 |
| BRAKE POSITION | REAR |
| TANK CAPACITY | 4 LIT |
| Ø STEERING WHEEL | 320 mm |
| WHEELS | NH 120 - NH 180 |
| TYRES | MITAS SRH / DURO |
| PODS | N35 SHOCK ABSORPTION |
| COVER | REAR & FRONT |
| SEAT AND PEDALS | ADJUSTABLE |



TRACK SIDE MONITORING SYSTEM



de Haardt Trackside Control System Xtra.EV Shutdown Transponder

The de Haardt Xtra.E Shutdown Transponder can be installed on every kart and programmed to suit the needs of the Circuit Operator. Different performance levels can be pre-programmed, as well as the crawl speed for the Pitlane Area. The Shutdown Transponder can be remotely operated with the Xtra Remote Control Unit, as well as the Xtra Mini Remote Control.



ONE KART FOR TWO PEOPLE



N35-TWIN







WITH ADJUSTABLE SLIDING SEAT, ADJUSTABLE SLIDING PEDALS, ADJUSTABLE STEERING WHEEL HEIGHT, FITTED WITH REAR END COVER (TO PROTECT MOVING MECHANICAL PARTS). AVAILABLE WITH CHAIN OR BELT, HYDRAULIC BRAKE AND OPTIONAL HEADREST.






birel/RT 25



| NB2-XR l | |
|------------------|----------------------|
| Ø TUBES | 32 mm |
| WHEEL BASE | 980 mm |
| REAR WIDTH | 1300 mm |
| FRONT WIDHT | 1040 mm |
| LENGHT | 1860 mm |
| AXLE | 40x3x1010 M |
| BRAKING SYSTEM | HYDRAULIC RR |
| BRAKE DISC | 166x5 STEEL |
| BRAKE POSITION | REAR |
| TANK CAPACITY | 4 LIT |
| Ø STEERING WHEEL | 320 mm |
| WHEELS | NH 120 - NH 180 |
| TYRES | MITAS SRH / DURO |
| PODS | N32 SHOCK ABSORPTION |
| COVER | REAR & FRONT |
| SEAT AND PEDALS | ADJUSTABLE |



TRACK SIDE MONITORING SYSTEM




de Haardt Trackside Control System Xtra.EV Shutdown Transponder

The de Haardt Xtra.E Shutdown Transponder can be installed on every kart and programmed to suit the needs of the Circuit Operator. Different performance levels can be pre-programmed, as well as the crawl speed for the Pitlane Area. The Shutdown Transponder can be remotely operated with the Xtra Remote Control Unit, as well as the Xtra Mini Remote Control.




A COOL KART FOR YOUNG DRIVER



N32-XR J





HEADREST



SAFETY BELTS



WEIGHT HOLDER WITH WEIGHTS

BLACK: 5 KG RED: 2.5 KG MAXIMUM 25 KG

ON REQUEST, FOR EVERY RENTAL KART MODEL WE CAN PROVIDE A CUSTOM GRAPHICS WITH YOUR LOGOS OR SPONSORS.





MADE WITH 25 MM TUBES, ADOPTS ALUMINIUM HUBS, HQ DISK CARRIERS AND CROWN CARRIERS. IT INCLUDES THE 2T 50 CC MOTOR WHILE THE BRAKE SYSTEM IS MECHANICAL WITH 166 MM DISC.





BABY DRIVER? WE HAVE THE LITTLE KART!



AVAILABLE ENGINE VERSIONS

HONDA GX 35 4 Stroke

>

- COMER C 51 2 Stroke
- BLUE BIRD BB 50 2 Stroke

ON REQUEST, FOR EVERY RENTAL KARTS MODELS WE CAN PROVIDE A CUSTOM GRAPHICS WITH YOUR LOGOS OR SPONSORS.





| Ø TUBES | 25 mm |
|------------------|--------------------|
| WHEEL BASE | 780 mm |
| REAR WIDTH | 525 mm |
| FRONT WIDHT | 550 mm |
| LENGHT | 1240 mm |
| AXLE | 25x880 B |
| BRAKING SYSTEM | MECHANICAL |
| BRAKE DISC | 166x5 STEEL |
| BRAKE POSITION | REAR |
| TANK CAPACITY | 2 LIT |
| Ø STEERING WHEEL | 320 mm |
| WHEELS | CR 115 + DR 150 A |
| TYRES | VEGA ETS 4.0 - 5.0 |
| PODS | B25 |
| SEAT AND PEDALS | FIXED |



CUSTOMIZATION

ON REQUEST FOR EVERY RENTAL KARTS MODELS WE CAN PROVIDE A CUSTOM GRAPHICS WITH YOUR LOGOS OR SPONSORS.



DOOS KARTING CENTER RIYADH - SAUDI ARABIA



Take NotiCe











Birel ART Srl Via S. Michele del Carso, 40 - 20851 Lissone (MB) - Italy PH. +39 039 483440 - FAX +39 039 461232 E-Mail: info@birelart.com - www.birelart.com

WWW.BIRELARTRENTAL.COM