







PURE PASSION

We build karts, because motorsport is our passion!

Karting is the origin of Racing and our go-karts, distinguished by Italian excellence famous all over the world, gives the opportunity to all fans of this world to become real drivers or have fun trying the thrill of adrenaline on the track.

Birelart is also present in the Rental sector with a complete range of Karts.

OF COURSE!

SUMMARY

Page	3	WHO IS Birelart
Page	4	N35-XR ST
Page	8	N35-YR ST
Page	12	N35-YR ST TWIN ENGINE
Page	16	N35-XR ST ROTAX
Page	20	N35-TWIN
Page	24	N32-XR J
Page	28	B25-RT

BIRELART

Tradition and Innovation

We represent a company where tradition and innovation come together every day to feed the legend of the Birelart brand. Our plus is the ability to combine the development of advanced technological solutions with the craftsmanship and experience that distinguishes us.

Passion and Excellence

The passion for motorsport is the sap that drives us to set ambitious goals to satisfy our customers. We are always in step with the times, curious and open to new things to grow our skills and offer excellence.

Individual and team

Our company is a big family with a strong sense of belonging, human resources are very important for us and ours is a team where competence and passion always go hand in hand.

Emotion

Birelart - for more than 60 years we have continued the passion for a sport that has formed and continues to train all the F1 drivers. With heart, pride and enthusiasm we keep alive the passion for the racing world and allow all those who love the thrill of driving to be able to do it in great safety and at high technical levels and performances.

« For those who like racing, I advise the karting and to do it with love and dedication. » Ayrton Senna - December /1982



ONLY 140 KILOGRAMS

WITH ADJUSTABLE PEDAL, AND ADJUSTABLE SEAT, FITTED WITH REAR END COVER (TO PROTECT MOVING MECHANICAL PARTS).

IT HAS BEEN DESIGNED TO EVOKE THE FEATURES

OF A COMPETITION KART.

*AVAILABLE ALSO THE VERSION N-35 X (WITH ADJUSTABLE PEDAL AND FIXED SEAT)









NEE-XEST

Ø TUBES	35 mm
WHEEL BASE	1070 mm
REAR WIDTH	1410 mm
FRONT WIDHT	1208 mm
LENGHT	2036 mm
AXLE	40x5x1060 K
BRAKING SYSTEM	HYDRAULIC RR
BRAKE DISC	180x8 STEEL
BRAKE POSITION	REAR
TANK CAPACITY	10 LIT
Ø STEERING WHEEL	340 mm
WHEELS	NH 120 - NH 180
TYRES	MITAS SRH / DURO
PODS	N35 SHOCK ABSORPTION
COVER	REAR
SEAT AND PEDALS	ADJUSTABLE

AVAILABLE ENGINE VERSIONS

- HONDA GX 200
- HONDA GX 270
- ► HONDA GX 390*

* WET OR DRY CLUTCH

TRACK SIDE MONITORING SYSTEM



de Haardt Trackside Control System Xtra.EV Shutdown Transponder

The de Haardt Xtra.E Shutdown Transponder can be installed on every kart and programmed to suit the needs of the Circuit Operator. Different performance levels can be pre-programmed, as well as the crawl speed for the Pitlane Area. The Shutdown Transponder can be remotely operated with the Xtra Remote Control Unit, as well as the Xtra Mini Remote Control.

ONE OF OUR BEST SELLING PRODUCTS






OPTIONAL IIIIIIIIII



HEADREST



SAFETY BELTS



WEIGHT HOLDER WITH WEIGHTS

BLACK: 5 KG RED: 2.5 KG MAXIMUM 25 KG







WITH ADJUSTABLE PEDAL, ADJUSTABLE STEERING WHEEL POSITION
AND ADJUSTABLE SEAT, FITTED WITH REAR END COVER (TO
PROTECT MOVING MECHANICAL PARTS).
IT HAS BEEN DESIGNED TO EVOKE THE FEATURES OF A
COMPETITION KART.







NEW FEATURES !!!!!!!!!!!!!!



NEW AXLE BEARING SUPPORT



NEW BRAKE SAFETY "MAGNUM"



ADJUSTABLE STEERING WHEEL POSITION



N==-4= 5T

Ø TUBES	35 mm
WHEEL BASE	1070 mm
REAR WIDTH	1410 mm
FRONT WIDHT	1208 mm
LENGHT	2036 mm
AXLE	40x5x1060 K
BRAKING SYSTEM	HYDRAULIC RR MAGNUM
BRAKE DISC	VENTILATED 180x20
BRAKE POSITION	REAR
TANK CAPACITY	10 LIT
Ø STEERING WHEEL	340 mm
WHEELS	NH 120 - NH 180
TYRES	MITAS SRH / DURO
PODS	N35 SHOCK ABSORPTION
COVER	REAR & FRONT
SEAT AND PEDALS	ADJUSTABLE

AVAILABLE ENGINE VERSIONS

- HONDA GX 200
- HONDA GX 270
- ▶ HONDA GX 390 *

* WET OR DRY CLUTCH

TRACK SIDE MONITORING SYSTEM



de Haardt Trackside Control System Xtra.EV Shutdown Transponder

The de Haardt Xtra.E Shutdown Transponder can be installed on every kart and programmed to suit the needs of the Circuit Operator. Different performance levels can be pre-programmed, as well as the crawl speed for the Pitlane Area. The Shutdown Transponder can be remotely operated with the Xtra Remote Control Unit, as well as the Xtra Mini Remote Control.

DISCOVER OUR LAST MODEL



OPTIONAL IIIIIIIIII



HEADREST & SAFETY BELTS



WEIGHT HOLDER QUICK FIXING



WEIGHT HOLDER WITH WEIGHTS

BLACK: 5 KG RED: 2.5 KG MAXIMUM 25 KG





TWIN ENGINE - DOUBLE POWER

WITH ADJUSTABLE PEDAL, ADJUSTABLE STEERING WHEEL POSITION AND ADJUSTABLE SEAT, FITTED WITH REAR END COVER (TO PROTECT MOVING MECHANICAL PARTS).







NEW FEATURES !!!!!!!!!!!!!



NEW AXLE BEARING SUPPORT



NEW BRAKE SAFETY "MAGNUM"



ADJUSTABLE STEERING WHEEL POSITION



NES-45 TWIN ENGINE

Ø TUBES	35 mm
WHEEL BASE	1070 mm
REAR WIDTH	1410 mm
FRONT WIDHT	1208 mm
LENGHT	2036 mm
AXLE	40x5x1060 K
BRAKING SYSTEM	HYDRAULIC RR MAGNUM
BRAKE DISC	VENTILATED 180x20
BRAKE POSITION	REAR
TANK CAPACITY	10 LIT
Ø STEERING WHEEL	340 mm
WHEELS	NH 120 - NH 180
TYRES	MITAS SRH / DURO
PODS	N35 SCHOCK AB
COVER	REAR + FRONT
SEAT AND PEDALS	ADJUSTABLE

AVAILABLE ENGINE VERSIONS



HONDA GX 200






DISCOVER OUR LAST MODEL





OPTIONAL IIIIIIIIIIIIIII



HEADREST & SAFETY BELTS



WEIGHT HOLDER QUICK FIXING



WEIGHT HOLDER WITH WEIGHTS

BLACK: 5 KG RED: 2.5 KG MAXIMUM 25 KG



ON REQUEST, FOR EVERY RENTAL KART MODEL WE CAN PROVIDE A CUSTOM GRAPHICS WITH YOUR LOGOS OR SPONSORS.



ONLY 130 KILOGRAMS

WITH ADJUSTABLE SEAT AND ADJUSTABLE PEDALS. IT HAS BEEN DESIGNED TO EVOKE THE FEATURES OF A COMPETITION KART.

> *AVAILABLE ALSO THE VERSION N35 X (WITH ADJUSTABLE PEDAL AND FIXED SEAT)









NEE-XE STREET

Ø TUBES	35 mm
WHEEL BASE	1070 mm
REAR WIDTH	1410 mm
FRONT WIDHT	1208 mm
LENGHT	mm 2036
AXLE	40x5x1060 K
BRAKING SYSTEM	HYDRAULIC RR
BRAKE DISC	180x8
BRAKE POSITION	REAR
TANK CAPACITY	10 LIT
Ø STEERING WHEEL	340 mm
WHEELS	NH 120 - NH 180
TYRES	MITAS SRH / DURO
PODS	N35 SHOCK ABSORPTION
SEAT AND PEDALS	ADJUSTABLE

AVAILABLE ENGINE VERSIONS


- > Rotax 125 Junior MAX
- > Rotax SENIOR EUROMAX
- Rotax 125 MAX DD2

THE STEP **BEFORE RACING!**





OPTIONAL IIIIIIIIIIIII



HEADREST & SAFETY BELTS



WEIGHT HOLDER QUICK FIXING



WEIGHT HOLDER WITH WEIGHTS

BLACK: 5 KG RED: 2.5 KG MAXIMUM 25 KG



ON REQUEST, FOR EVERY RENTAL KART MODEL WE CAN PROVIDE A CUSTOM GRAPHICS WITH YOUR LOGOS OR SPONSORS.






ONLY 160 KILOGRAMS

THE NEW KART FOR TWO PEOPLE WITH THE SAME DIMENSION AND THE SAME COMPONENTS OF THE CLASSICAL N-35 XR ST. COMPLETE WITH ROLL-BAR, SEAT BELTS, FOOTRESTS AND ADJUSTABLE STEERING WHEEL FOR THE PASSENGER IN ADDITION TO REGULATING PEDALS SYSTEM FOR THE DRIVER.









Ø TUBES	35 mm	
WHEEL BASE	1070 mm	
REAR WIDTH	1410 mm	
FRONT WIDHT	1208 mm	
LENGHT	2036 mm	
AXLE	40x5 K	
BRAKING SYSTEM	HYDRAULIC RR	
BRAKE DISC	166x5 STEEL x2	
BRAKE POSITION	REAR	
TANK CAPACITY	4 LIT	
Ø STEERING WHEEL	320 mm	
WHEELS	NH 120 - NH 180	
TYRES	MITAS SRH / DURO	
PODS	N35 SHOCK ABSORPTION	
COVER	REAR & FRONT	
PEDALS	ADJUSTABLE ONLY DRIVER SIDE	
SEAT	FIX	

AVAILABLE ENGINE VERSIONS

► HONDA GX 270 cc *

► HONDA GX 390 cc *

* WET CLUTCH

TRACK SIDE MONITORING SYSTEM



de Haardt Trackside Control System Xtra.EV Shutdown Transponder

The de Haardt Xtra.E Shutdown Transponder can be installed on every kart and programmed to suit the needs of the Circuit Operator. Different performance levels can be pre-programmed, as well as the crawl speed for the Pitlane Area. The Shutdown Transponder can be remotely operated with the Xtra Remote Control Unit, as well as the Xtra Mini Remote Control.

ONE KART FOR TWO PEOPLE







WITH ADJUSTABLE SLIDING SEAT, ADJUSTABLE SLIDING PEDALS, ADJUSTABLE STEERING WHEEL HEIGHT, FITTED WITH REAR END COVER (TO PROTECT MOVING MECHANICAL PARTS). AVAILABLE WITH CHAIN OR BELT, HYDRAULIC BRAKE AND OPTIONAL HEADREST.



ANTI GAS-BRAKE **SYSTEM ADJUSTABLE PEDALS LEVER ADJUSTABLE ADJUSTABLE SEAT LEVER** STEERING WHEEL **POSITION**





NEZ-XF

Ø TUBES	32 mm
WHEEL BASE	980 mm
REAR WIDTH	1300 mm
FRONT WIDHT	1040 mm
LENGHT	1860 mm
AXLE	40x3x1010 M
BRAKING SYSTEM	HYDRAULIC RR
BRAKE DISC	166x5 STEEL
BRAKE POSITION	REAR
TANK CAPACITY	4 LIT
Ø STEERING WHEEL	320 mm
WHEELS	NH 120 - NH 180
TYRES	MITAS SRH / DURO
PODS	N32 SHOCK ABSORPTION
COVER	REAR & FRONT
SEAT AND PEDALS	ADJUSTABLE

AVAILABLE ENGINE VERSIONS

- HONDA GX 120
- HONDA GX 160
- HONDA GX 200

TRACK SIDE MONITORING SYSTEM



de Haardt Trackside Control System Xtra.EV Shutdown Transponder


The de Haardt Xtra.E Shutdown Transponder can be installed on every kart and programmed to suit the needs of the Circuit Operator. Different performance levels can be pre-programmed, as well as the crawl speed for the Pitlane Area. The Shutdown Transponder can be remotely operated with the Xtra Remote Control Unit, as well as the Xtra Mini Remote Control.

A COOL KART FOR YOUNG DRIVER





OPTIONAL IIIIIIIIIIII



HEADREST



SAFETY BELTS



WEIGHT HOLDER WITH WEIGHTS

BLACK: 5 KG RED: 2.5 KG MAXIMUM 25 KG





MADE WITH 25 MM TUBES, ADOPTS ALUMINIUM HUBS,
HQ DISK CARRIERS AND CROWN CARRIERS.

IT INCLUDES THE 2T 50 CC MOTOR WHILE THE BRAKE SYSTEM
IS MECHANICAL WITH 166 MM DISC.



BABY DRIVER? WE HAVE THE LITTLE KART!



AVAILABLE ENGINE VERSIONS

- **HONDA GX 35 4 Stroke**
- COMER C 51 2 Stroke
- BLUE BIRD BB 50 2 Stroke





Ø TUBES	25 mm
WHEEL BASE	780 mm
REAR WIDTH	525 mm
FRONT WIDHT	550 mm
LENGHT	1240 mm
AXLE	25x880 B
BRAKING SYSTEM	MECHANICAL
BRAKE DISC	166x5 STEEL
BRAKE POSITION	REAR
TANK CAPACITY	2 LIT
Ø STEERING WHEEL	320 mm
WHEELS	CR 115 + DR 150 A
TYRES	VEGA ETS 4.0 - 5.0
PODS	B25
SEAT AND PEDALS	FIXED



ON REQUEST

FOR EVERY

RENTAL KARTS MODELS

WE CAN PROVIDE A

CUSTOM GRAPHICS

WITH YOUR LOGOS OR SPONSORS.















Birelart Srl Via S. Michele del Carso, 40 - 20851 Lissone (MB) - Italy PH. +39 039 483440 - FAX +39 039 461232 E-Mail: info@birelart.com - www.birelart.com